Contents of Volume 47

Vol. 47, Nos. 1-2 September 2001

Overview

Molecular biology of the plant cell wall: searching for the genes that define structure, architecture and dynamics
N. Carpita, M. Tierney, M. Campbell **1–5**

Section 1 – Cytology and metabolism

Pectin: cell biology and prospects for functional analysis
W.G.T. Willats, L. McCartney, W. Mackie, J.P. Knox **9–27**

Carbon partitioning to cellulose synthesis
C.H. Haigler, M. Ivanova-Datcheva, P.S. Hogan, V.V. Salnikov, S. Hwang, K. Martin, D.P. Delmer **29–51**

Section 2 – Gene and protein structure

A census of carbohydrate-active enzymes in the genome of *Arabidopsis thaliana*
B. Henrissat, P.M. Coutinho, G.J. Davies **55–72**

Structure function relationships of β-D-glucan endo- and exohydrolases from higher plants
M. Hrmova, G.B. Fincher **73–91**

Section 3 – Primary wall synthesis

Molecular genetics of nucleotide sugar interconversion pathways in plants
W.-D. Reiter, G.F. Vanzin **95–113**

Golgi enzymes that synthesize plant cell wall polysaccharides: finding and evaluating candidates in the genomic era
R. Perrin, C. Wilkerson, K. Keegstra **115–130**

Integrative approaches to determining Csl function
T.A. Richmond, C.R. Somerville **131–143**

β-D-Glycan synthases and the *CesA* gene family: lessons to be learned from the mixed-linkage (1 →3), (1→4)β-D-glucan synthase
C.E. Vergara, N.C. Carpita **145–160**

The complex structures of arabinogalactan-proteins and the journey towards understanding function
Y. Gaspar, K.L. Johnson, K.A. McKenna, A. Bacic, C.J. Schultz **161–176**

Section 4 – Growth, signaling & defense

The molecular basis of plant cell wall extension
C.P. Darley, A.M. Forrester, S.J. McQueen-Mason 179–195

WAKs: cell wall-associated kinases linking the cytoplasm to the extracellular matrix
C.M. Anderson, T.A. Wagner, M. Perret, Z.-H. He, D. He, B.D. Kohorn 197–206

Section 5 – Secondary wall synthesis

Mutations of the secondary cell wall
S.R. Turner, N. Taylor, L. Jones 209–219

Differential expression of cell-wall-related genes during the formation of tracheary elements in the *Zinnia* mesophyll cell system
D. Milioni, P.-E. Sado, N.J. Stacey, C. Domingo, K. Roberts, M.C. McCann 221–238

Unravelling cell wall formation in the woody dicot stem
E.J. Mellerowiczs, M. Baucher, B. Sundberg, W. Boerjan 239–274

Functional genomics and cell wall biosynthesis in loblolly pine
R. Whetten, Y.-H. Sun, Y. Zhang, R. Sederoff 275–291

Section 6 – Cell wall biotechnology

Enabling technologies for manipulating multiple genes on complex pathways
C. Halpin, A. Barakate, B.M. Askari, J.C. Abbott, M.D. Ryan 295–310

Cell wall metabolism in fruit softening and quality and its manipulation in transgenic plants
D.A. Brummell, M.H. Harpster 311–340

Vol. 47, No. 3 October 2001

Molecular analysis of the *Doppia* transposable element of maize
S.D. Bercury, T. Panavas, K. Irenze, E.L. Walker 341–351

Analysis of barley chloroplast *psbD* light-responsive promoter elements in transplastomic tobacco
K.E. Thum, M. Kim, D.T. Morishige, C. Eibl, H.-U. Koop, J.E. Mullet 353–366

The transcript abundance of GmGT-2, a new member of the GT-2 family of transcription factors from soybean, is down-regulated by light in a phytochrome-dependent manner
K. O'Grady, V.H. Goekjian, C.J. Nairn, T.T. Nagao, J.L. Key 367–378

Characterization of a second carotenoid β-hydroxylase gene from Arabidopsis and its relationship to the *LUT1* locus
L. Tian, D. DellaPenna 379–388

Temporal and spatial expression patterns of *TUB9*, a β-tubulin gene of *Arabidopsis thaliana*
Z. Cheng, D.P. Snustad, J.V. Carter 389–398

Promoters for pregenomic RNA of banana streak badnavirus are active for transgene expression in monocot and dicot plants
P.M. Schenk, T. Remans, L. Sági, A.R. Elliott, R.G. Dietzgen, R. Swennen, P.R. Ebert, C.P.L. Grof, J.M. Manners **399–412**

Visualization of the terminal structure of rice chromosomes 6 and 12 with multicolor FISH to chromosomes and extended DNA fibers
N. Ohmido, K. Kijima, I. Ashikawa, J.H. de Jong, K. Fukui **413–421**

Isolation of the first putative peroxidase cDNA from a conifer and the local and systemic accumulation of related proteins upon pathogen infection
C.G. Fossdal, P. Sharma, A. Lönneborg **423–435**

Dissection of abscisic acid signal transduction pathways in barley aleurone layers
Q. Shen, A. Gomez-Cadenas, P. Zhang, M.K. Walker-Simmons, J. Sheen, T.-H.D. Ho **437–448**

RNA polymerase I holoenzyme–promoter complexes include an associated CK2-like protein kinase
J. Saez-Vasquez, M. Meissner, C.S. Pikaard **449–459**

Vol. 47, No. 4 November (I) 2001

Expression patterns and subcellular localization of a 52 kDa sucrose-binding protein homologue of *Vicia faba* (VfSBPL) suggest different functions during development
U. Heim, Q. Wang, T. Kurz, L. Borisjuk, S. Golombek, B. Neubohn, K. Adler, M. Gahrtz, N. Sauer, H. Weber, U. Wobus **461–474**

Position effect of the excision frequency of the *Antirrhinum* transposon Tam3: implications for the degree of position-dependent methylation in the ends of the element
K. Kitamura, S.-n. Hashida, T. Mikami, Y. Kishima **475–490**

Molecular characterization of the brassinosteroid-deficient *lkb* mutant in pea
L. Schultz, L.H. Kerckhoffs, U. Klahre, T. Yokota, J.B. Reid **491–498**

Ripening-related occurrence of phospho*enol*pyruvate carboxykinase in tomato fruit
A.R. Bahrami, Z.-H. Chen, R.P. Walker, R.C. Leegood, J.E. Gray **499–506**

An unusual seed-specific 3-ketoacyl-ACP synthase associated with the biosynthesis of petroselinic acid in coriander
S. Mekhedov, E.B. Cahoon, J. Ohlrogge **507–518**

Gene isolation and characterization of two acyl CoA oxidases from soybean with broad substrate specificities and enhanced expression in the growing seedling axis
A.K. Agarwal, Y. Qi, D.G. Bhat, B.M. Woerner, S.M. Brown **519–531**

Retrotransposons of the Tnt1B family are mobile in *Nicotiana plumbaginifolia* and can induce alternative splicing of the host gene upon insertion
A.-S. Leprince, M.-A. Grandbastien, C. Meyer **533–541**

The effect of MAR elements on variation in spatial and temporal regulation of transgene expression
W. van Leeuwen, L. Mlynárová, J.P. Nap, L.H.W. van der Plas, A.R. van der Krol **543–554**

***Arabidopsis* E2F1 binds a sequence present in the promoter of S-phase-regulated gene *AtCDC6* and is a member of a multigene family with differential activities**
S.M. de Jager, M. Menges, U.-M. Bauer, J.A.H. Murray **555–568**

Erratum **569**

Vol. 47, No. 5 November (II) 2001

A catalytic subunit of the sugar beet protein kinase CK2 is induced by salt stress and increases NaCl tolerance in *Saccharomyces cerevisiae*
R. Kanhonou, R. Serrano, R.R. Palau **571–579**

The syringaldazine-oxidizing peroxidase PXP 3-4 from poplar xylem: cDNA isolation, characterization and expression
J.H. Christensen, S. Overney, A. Rohde, W.A. Diaz, G. Bauw, P. Simon, M. Van Montagu, W. Boerjan **581–593**

Identical promoter elements are involved in regulation of the *OPR1* gene by senescence and jasmonic acid in *Arabidopsis*
Y. He, S. Gan **595–605**

Molecular identification and expression of the peroxidase responsible for the oxidative burst in French bean (*Phaseolus vulgaris* L.) and related members of the gene family
K.A. Blee, S.C. Jupe, G. Richard, A. Zimmerlin, D.R. Davies, G.P. Bolwell **607–620**

Analysis of celery (*Apium graveolens*) mannitol dehydrogenase (*Mtd*) promoter regulation in *Arabidopsis* suggests roles for MTD in key environmental and metabolic responses
E. Zamski, W.-W. Guo, Y.T. Yamamoto, D.M. Pharr, J.D. Williamson **621–631**

Organ specificity of a vacuolar Ca^{2+}-binding protein RVCaB in radish and its expression under Ca^{2+}-deficient conditions
K. Yuasa, M. Maeshima **633–640**

The promoter of a basic *PR1*-like gene, *AtPRB1*, from *Arabidopsis* establishes an organ-specific expression pattern and responsiveness to ethylene and methyl jasmonate
M. Santamaria, C.J. Thomson, N.D. Read, G.J. Loake **641–652**

Expression of the *Pib* rice-blast-resistance gene family is up-regulated by environmental conditions favouring infection and by chemical signals that trigger secondary plant defences
Z.-X. Wang, U. Yamanouchi, Y. Katayose, T. Sasaki, M. Yano **653–661**

Identification of Arabidopsis proteins that interact with the cauliflower mosaic virus (CaMV) movement protein
Z. Huang, V.M. Andrianov, Y. Han, S.H. Howell **663–675**

Expression and evolution of functionally distinct haemoglobin genes in plants
P.W. Hunt, R.A. Watts, B. Trevaskis, D.J. Llewelyn, J. Burnell, E.S. Dennis, W.J. Peacock **677–692**

Vol. 47, No. 6 December 2001

Mini-review

Plant callose synthase complexes
D.P.S. Verma, Z. Hong **693–701**

Research articles

Early genes responsive to abscisic acid during heterophyllous induction in *Marsilea quadrifolia*
T.-C. Hsu, H.-C. Liu, J.-S. Wang, R.-W. Chen, Y.-C. Wang, B.-L. Lin **703–715**

Characterization of a novel plant acyl-CoA synthetase that is expressed in lipogenic tissues of *Brassica napus* L.
P. Pongdontri, M. Hills **717–726**

A proteinase inhibitor II of *Solanum americanum* is expressed in phloem
Z.-F. Xu, W.-Q. Qi, X.-Z. Ouyang, E. Yeung, M.-L. Chye **727–738**

Differential expression of putative cell death regulator genes in near-isogenic, resistant and susceptible barley lines during interaction with the powdery mildew fungus
R. Hückelhoven, C. Dechert, M. Trujillo, K.-H. Kogel **739–748**

The nodulin VfENOD18 is an ATP-binding protein in infected cells of *Vicia faba* L. nodules
J.D. Becker, L.M. Moreira, D. Kapp, S.C. Frosch, A. Pühler, A.M. Perlick **749–759**

Cloning and characterization of a DEAD box RNA helicase from the viable seedling of aged mung bean
S.-C. Li, M.-C. Chung, C.-S. Chen **761–770**

Identification of a S-ribonuclease-binding protein in *Petunia hybrida*
T.L. Sims, M. Ordanic **771–783**

Identification and molecular characterisation of hordoindolines from barley grain
H.F. Darlington, J. Rouster, L. Hoffmann, N.G. Halford, P.R. Shewry, D.J. Simpson **785–794**

An *OGG1* orthologue encoding a functional 8-oxoguanine DNA glycosylase/lyase in *Arabidopsis thaliana*
M.-V. García-Ortiz, R.R. Ariza, T. Roldán-Arjona **795–804**

POR C of *Arabidopsis thaliana*: a third light- and NADPH-dependent protochlorophyllide oxidoreductase that is differentially regulated by light
Q. Su, G. Frick, G. Armstrong, K. Apel **805–813**

L and D presequence peptides derived from the precursor of $F_1\beta$ subunit of the ATP synthase inhibit mitochondrial protein import by interaction with import machinery
C. Sigyarto, M. Hugosson, P. Moberg, D. Andreu, E. Glaser **815–826**

Erratum **827**

Instructions for authors **829–832**

Volume contents **833–837**

Author index **839**